United Nations A/57/270/Corr.1

General Assembly

Distr.: General
27 September 2002

Original: English

Fifty-seventh session
Agenda item 44
Follow-up to the outcome of the Millennium Summit

Implementation of the United Nations Millennium Declaration

Report of the Secretary-General

Corrigendum

1. **Paragraph 41**

   The second sentence *should read*:

   East Asia has been quite successful in reducing the proportion of people who suffer from **hunger**, while Africa's malnutrition rate has hardly budged.

2. **Paragraph 111**

   The last sentence *should read*:

   This is why I intend to submit to the General Assembly in September 2002 a report that will propose further programmatic, institutional and process improvements, so that we can translate the ambitious template of the Declaration into an achievable agenda of action.

3. **Annex table, goal 6**

   Replace the text of goal 6 by the following:

02-60931 (E) 300902

Goals and targets	*Indicators*	*1990*	*2000* [a,b]	*Unit of measure*
Target 7. Have halted by 2015 and begun to reverse the spread of HIV/AIDS	**18. HIV prevalence among pregnant women aged 15 to 24 years**	**n.a.**	**n.a.**	
	Estimates of HIV prevalence among young people aged 15 to 24 years			**(Earliest available global figures are for 1999 and most recent available global figures are for 2001.)**
	World	**1.0**	**1.1**	**Percentage, total**
		0.7	**0.8**	**Percentage, men**
		1.2	**1.4**	**Percentage, women**
				(For regional breakdowns, the only available data were for 1999.)
	Developed regions	**n.a.**	**0.2**	**Percentage, total**
	Europe	**n.a.**	**0.2**	**Percentage, total**
	Developing regions	**n.a.**	**1.1**	**Percentage, total**
	Africa	**n.a.**	**5.1**	**Percentage, total**
	Northern Africa	**n.a.**	**0.02**	**Percentage, total**
	Sub-Saharan Africa	**n.a.**	**6.3**	**Percentage, total**
	Latin America and the Caribbean	**n.a.**	**0.5**	**Percentage, total**
	Asia	**n.a.**	**0.2**	**Percentage, total**
	Eastern Asia	**n.a.**	**0.1**	**Percentage, total**
	South-central Asia	**n.a.**	**0.3**	**Percentage, total**
	South-eastern Asia	**n.a.**	**0.4**	**Percentage, total**
	Western Asia	**n.a.**	**0.01**	**Percentage, total**
	Oceania	**n.a.**	**0.2**	**Percentage, total**
	19. Condom use rate of the contraceptive prevalence rate[b]			**Percentage**
	World	**n.a.**	**7**	
	Contraceptive prevalence rate			
	World	**57**	**67**	
	20. Number of children orphaned by HIV/AIDS[i]			**Millions**
	Total, three regions (88 countries)	**0.9**	**13.4**	**(Most recent available figures are for 2001.)**
	Africa	**0.8**	**11.0**	
	Asia	**0.007**	**1.8**	
	Latin America and the Caribbean	**0.054**	**0.6**	

Goals and targets	Indicators	1990	2000 [a,b]	Unit of measure
Target 8. Have halted by 2015 and begun to reverse the incidence of malaria and other major diseases	21. Prevalence and death rates associated with malaria			
	World prevalence rate	n.a.	n.a.	
	World death rate	n.a.	148	Deaths per 100,000 children aged 0 to 4 years
	Developed countries	n.a.	0	
	Developing countries	n.a.	166	
	Africa			
	Northern Africa	n.a.	47	
	Sub-Saharan Africa	n.a.	791	
	Asia			
	Eastern Asia	n.a.	0	
	South-central Asia	n.a.	6	
	South-eastern Asia	n.a.	2	
	Western Asia	n.a.	26	
	Latin America and the Caribbean	n.a.	1	
	Oceania	n.a.	2	
	22. Proportion of population in malaria-risk areas using effective malaria prevention and treatment measures[j]			Percentage
	World	n.a.	n.a.	(No global figures are available for prevention and treatment.)
	21 African countries	n.a.	<5	(Prevention.)
	14 African countries	n.a.	50	(Treatment of children with fever.)
	23. Prevalence and death rates associated with tuberculosis			
	World prevalence rate	n.a.	123	Prevalence per 100,000 population
	Developed countries	n.a.	24	
	Developing countries	n.a.	147	
	Africa	n.a.	187	
	Northern Africa	n.a.	27	
	Sub-Saharan Africa	n.a.	223	
	Asia	n.a.	153	
	Eastern Asia	n.a.	88	
	South-central Asia	n.a.	196	
	South-eastern Asia	n.a.	239	
	Western Asia	n.a.	42	
	Latin America and the Caribbean	n.a.	44	
	Oceania	n.a.	217	

Goals and targets	*Indicators*	*1990*	*2000* [a,b]	*Unit of measure*
	World death rate	**n.a.**	**28**	**Deaths per 100,000 population**
	Developed countries	**n.a.**	**5**	
	Developing countries	**n.a.**	**33**	
	Africa			
	Northern Africa	**n.a.**	**5**	
	Sub-Saharan Africa	**n.a.**	**62**	
	Asia			
	Eastern Asia	**n.a.**	**19**	
	South-central Asia	**n.a.**	**40**	
	South-eastern Asia	**n.a.**	**49**	
	Western Asia	**n.a.**	**11**	
	Latin America and the Caribbean	**n.a.**	**11**	
	Oceania	**n.a.**	**44**	
	24. Proportion of tubercu[illegible]es detected and cured u[illegible]ectly observed treatment sh[illegible]ourse	**11**	**27**	**Percentage detected (earliest available figures are from 1995).**
		77	**80**	**Percentage cured (earliest available figures are from 1995).**

4. Annex table, goal 7

Note k *should read* Global figures.